





The Company Page 5 Strongbond Page 43 UN Global Compact Page 7 Isaccord Page 45 Service Page 9 Isamet Page 46 Subtex Embroidery Page 46 Subtex Embroidery Page 46 SUSTAINABLE Rasant-Oxella Page 49 FRODUCT RANGE Topfil Page 49 Lifecycle Cotton Page 12 Gore® Tenora® Page 50 Lifecycle Polyamide Page 13 Serabond Page 51 Lifecycle Polyamide Page 13 Serabond Page 52 Lifecycle Polyamide Page 13 Serabond Page 52 Universal Recycled Page 13 Arech CS Page 54 Universal Recycled Page 16 Arech CS Page 54 Sarcafil Recycled Page 16 Arech CS Page 55 Serafil Recycled Page 18 Notech Page 55 Serafil Recycled Page 18 Notech Page 55 Serafil WRe Page 20 Notech Page 57 Subar Recyc	INTRO		Serabraid	Page 41
The Company			Onyx Strangland	Page 42
Service	The Company	Page 5		_
Service	UN Global Compact	Page 7		_
Substainable	Service	Page 9		•
SUSTAINABLE		•	<u> </u>	
Rosant-Oxella			•	-
Topfil				•
Inpht Page 50	SUSTAINABLE			
Lifecycle Cotton			•	-
Lifecycle Cotton Page 12 Gore® Tenara® Page 52 Lifecycle Polyamide Page 13 Serabond Page 53 Saba Recycled Page 14 N-tech Page 54 Universal Recycled Page 15 N-tech CS Page 54 Universal Recycled Page 16 A-tech CS Page 55 Serofil fine Recycled Page 18 Nc-tech CS Page 55 Serofil fine Recycled Page 18 Nc-tech Page 55 K-tech Page 55 K-tech Page 57 K-tech Page 57 K-tech Page 57 K-tech Page 57 Robe 10 Page 57 Serofil WRe Page 20 Page 11 Page 58 Serofil WRe Page 21 Page 21 Page 21 Onyx WRe Page 22 SPECIAL COLOURS Serobaraid WRe Page 28 Multicolour Page 61 Neon Page 61 Neon Page 61 AMANN PRODUCTS SPECIAL FINISHINGS Universal Page 30 Sabatex soft <td>PRODUCT RAINGE</td> <td></td> <td></td> <td>-</td>	PRODUCT RAINGE			-
Lifecycle Polyamide				_
Saba Recycled	Lifecycle Cotton	Page 12		-
Universal Recycled	Lifecycle Polyamide	Page 13		_
Sabatex Recycled Page 16	Saba Recycled	Page 14		Page 54
Serafil Recycled Page 17	Universal Recycled	Page 15		Page 54
Serafil fine Recycled	Sabatex Recycled	Page 16	A-tech	Page 55
K-tech	Serafil Recycled	Page 17	A-tech CS	Page 55
Name Name	Serafil fine Recycled	Page 18	Nc-tech	Page 56
Saba WRe PRODUCTS Saba WRe Page 20 SPECIAL COLOURS Serafil WRe Page 21 SPECIAL COLOURS Onyx WRe Page 22 SPECIAL COLOURS Serabraid WRe Page 23 Multicolour Page 61 Page 61 AMANN PRODUCTS SPECIAL FINISHINGS Saba Page 26 SPECIAL FINISHINGS Universal Page 27 Sabasoft Page 28 Sabatex Soft Page 30 For Composites (Comphil) Page 61 Sabatex soft Page 30 For Composites (Comphil) Page 61 Sabatex soft Page 31 Bonded Page 61 Serafil fine Page 32 Rasant Page 33 Rasant Page 33 Rasant Page 34 Mercifil Page 35 MercifilGD Page 36 Mercifil Page 37 Page 36 Meta Page 37			K-tech	Page <i>57</i>
WRe PRODUCTS Saba WRe Serafil WRe Onyx WRe Onyx WRe Serabraid WRe Page 21 Onyx WRe Serabraid WRe Page 23 Multicolour Neon Page 61			Kc-tech	Page <i>57</i>
Saba WRe Page 20 Serafil WRe Page 21 Onyx WRe Page 22 Serabraid WRe Page 23 AMANN PRODUCTS Multicolour Neon Page 61 Page 61 AMANN PRODUCTS SPECIAL FINISHINGS Saba Page 26 Water-repellent Page 61 Universal Page 27 Waxed (T90) Page 61 Sabaflex Page 30 For Composites (Comphil) Page 61 Sabatex soft Page 31 Bonded Page 61 Serafil fine Page 32 Bonded Page 61 Serafil fine Page 33 Bonded Page 61 Mercifil Page 35 Mercifil Page 36 MercifilGD Page 36 MercifilGD Page 37			Silver-tech	Page 58
Serafil WRe Page 21 Onyx WRe Page 22 Serabraid WRe Page 23 Multicolour Neon Page 61 Page 61 Page 61 Page 61 Neon Page 61 Page 61 Page 61 Saba Page 26 Page 27 Page 27 Sabasoft Page 28 Page 29 Page 29 Page 61 Sabaflex Page 29 Page 30 Page 61 Sabatex soft Page 30 Page 31 Page 61 Sabatex Page 31 Page 61 Serafil fine Page 32 Page 31 Page 31 Rasant Page 33 Page 34 Page 34 Mercifil Page 35 Page 36 Page 36 Page 36 Page 36 MercifilGD Page 36 Page 37 Page 37	WRe PRODUCTS		Steel-tech	Page 59
Serafil WRe Page 21 Onyx WRe Page 22 Serabraid WRe Page 23 Multicolour Neon Page 61 Page 61 Page 61 Page 61 Neon Page 61 Page 61 Page 61 Saba Page 26 Page 27 Page 27 Sabasoft Page 28 Page 29 Page 29 Page 61 Sabaflex Page 29 Page 30 Page 61 Sabatex soft Page 30 Page 31 Page 61 Sabatex Page 31 Page 61 Serafil fine Page 32 Page 31 Page 31 Rasant Page 33 Page 34 Page 34 Mercifil Page 35 Page 36 Page 36 Page 36 Page 36 MercifilGD Page 36 Page 37 Page 37	0 1 14/5			
Onyx WRe Serabraid WRePage 22SPECIAL COLOURSSabaraid WRePage 23Multicolour NeonPage 61 Page 61AMANN PRODUCTSPage 26SPECIAL FINISHINGSSaba 	Saba WKe	Page 20		
Serabraid WRe Page 23 AMANN PRODUCTS Multicolour Neon Page 61 Page 61 Saba Page 26 Page 27 SPECIAL FINISHINGS Page 61 Sabasoft Page 27 Water-repellent Page 61 Sabaflex Page 29 Waxed (T90) Page 61 Sabatex soft Page 30 For Composites (Comphil) Page 61 Sabatex Page 31 Bonded Page 61 Serafil fine Page 32 Rasant Page 33 RasantGD Page 34 Mercifil Page 35 MercifilGD Page 36 Page 37		=		
Multicolour Neon Page 61 Page 61 AMANN PRODUCTS Saba Page 26 SPECIAL FINISHINGS Universal Page 27 Page 27 Page 28 Water-repellent Page 61 Sabasoft Page 29 Waxed (T90) Page 61 Sabatex soft Page 30 For Composites (Comphil) Page 61 Sabatex Page 31 Bonded Page 61 Serafil fine Page 32 Page 31 Page 61 Rasant Page 33 Page 34 Page 34 Mercifil Page 35 Page 36 MercifilGD Page 36 Meta Page 37	Serafil WRe	Page 21	SPECIAL COLOURS	
Neon Page 61 AMANN PRODUCTS Saba Page 26 SPECIAL FINISHINGS Universal Page 27 Page 27 Sabasoft Page 28 Water-repellent Page 61 Sabaflex Page 29 Waxed (T90) Page 61 Sabatex soft Page 30 For Composites (Comphil) Page 61 Sabatex Page 31 Bonded Page 61 Serafil fine Page 32 Rasant Page 33 RasantGD Page 34 Mercifil Page 35 MercifilGD Page 36 MercifilGD Page 37	Serafil WRe Onyx WRe	Page 21 Page 22	SPECIAL COLOURS	
Saba Page 26 Universal Page 27 Sabasoft Page 28 Sabaflex Page 29 Sabatex soft Page 30 Sabatex Soft Page 31 Serafil fine Page 32 Rasant Page 34 Mercifil Page 35 Meta Saba Page 37 SPECIAL FINISHINGS SPECIAL FINISHINGS SPECIAL FINISHINGS Page 61 Page 31 Bonded Page 61 Page 61 Page 61 Page 61 Page 36 Page 36 Meta	Serafil WRe Onyx WRe	Page 21 Page 22		Page 61
Universal Page 27 Sabasoft Page 28 Water-repellent Page 61 Sabaflex Page 29 Waxed (T90) Page 61 Sabatex soft Page 30 For Composites (Comphil) Page 61 Sabatex Page 31 Bonded Page 61 Serafil fine Page 32 Rasant Page 33 RasantGD Page 34 Mercifil Page 35 MercifilGD Page 36 Meta Page 37	Serafil WRe Onyx WRe	Page 21 Page 22	Multicolour	_
Universal Page 27 Sabasoft Page 28 Water-repellent Page 61 Sabaflex Page 29 Waxed (T90) Page 61 Sabatex soft Page 30 For Composites (Comphil) Page 61 Sabatex Page 31 Bonded Page 61 Serafil fine Page 32 Rasant Page 33 RasantGD Page 34 Mercifil Page 35 MercifilGD Page 36 Meta Page 37	Serafil WRe Onyx WRe Serabraid WRe	Page 21 Page 22	Multicolour	_
Sabasoft Page 28 Water-repellent Page 61 Sabaflex Page 29 Waxed (T90) Page 61 Sabatex soft Page 30 For Composites (Comphil) Page 61 Sabatex Page 31 Bonded Page 61 Serafil fine Page 32 Rasant Page 33 RasantGD Page 34 Mercifil Page 35 MercifilGD Page 36 Meta Page 37	Serafil WRe Onyx WRe Serabraid WRe AMANN PRODUCTS	Page 21 Page 22 Page 23	Multicolour Neon	_
Sabaflex Page 29 Waxed (T90) Page 61 Sabatex soft Page 30 For Composites (Comphil) Page 61 Sabatex Page 31 Bonded Page 61 Serafil fine Page 32 Rasant Page 33 RasantGD Page 34 Mercifil Page 35 MercifilGD Page 36 Meta Page 37	Serafil WRe Onyx WRe Serabraid WRe AMANN PRODUCTS Saba	Page 21 Page 22 Page 23	Multicolour Neon	_
Sabatex soft Page 30 For Composites (Comphil) Page 61 Sabatex Page 31 Bonded Page 61 Serafil fine Page 32 Rasant Page 33 RasantGD Page 34 Mercifil Page 35 MercifilGD Page 36 Meta Page 37	Serafil WRe Onyx WRe Serabraid WRe AMANN PRODUCTS Saba Universal	Page 21 Page 22 Page 23 Page 26 Page 27	Multicolour Neon SPECIAL FINISHINGS	Page 61
Sabatex Page 31 Bonded Page 61 Serafil fine Page 32 Rasant Page 33 RasantGD Page 34 Mercifil Page 35 MercifilGD Page 36 Meta Page 37	Serafil WRe Onyx WRe Serabraid WRe AMANN PRODUCTS Saba Universal Sabasoft	Page 21 Page 22 Page 23 Page 26 Page 27 Page 28	Multicolour Neon SPECIAL FINISHINGS Water-repellent	Page 61
Serafil fine Page 32 Rasant Page 33 RasantGD Page 34 Mercifil Page 35 MercifilGD Page 36 Meta Page 37	Serafil WRe Onyx WRe Serabraid WRe AMANN PRODUCTS Saba Universal Sabasoft Sabaflex	Page 21 Page 22 Page 23 Page 26 Page 27 Page 28 Page 29	Multicolour Neon SPECIAL FINISHINGS Water-repellent Waxed (T90)	Page 61 Page 61 Page 61
Rasant Page 33 RasantGD Page 34 Mercifil Page 35 MercifilGD Page 36 Meta Page 37	Serafil WRe Onyx WRe Serabraid WRe AMANN PRODUCTS Saba Universal Sabasoft Sabaflex Sabatex soft	Page 21 Page 22 Page 23 Page 26 Page 27 Page 28 Page 29 Page 30	Multicolour Neon SPECIAL FINISHINGS Water-repellent Waxed (T90) For Composites (Comphil)	Page 61 Page 61 Page 61
RasantGD Page 34 Mercifil Page 35 MercifilGD Page 36 Meta Page 37	Serafil WRe Onyx WRe Serabraid WRe AMANN PRODUCTS Saba Universal Sabasoft Sabaflex Sabatex soft Sabatex	Page 21 Page 22 Page 23 Page 26 Page 27 Page 28 Page 29 Page 30 Page 31	Multicolour Neon SPECIAL FINISHINGS Water-repellent Waxed (T90) For Composites (Comphil)	Page 61 Page 61 Page 61
Mercifil Page 35 MercifilGD Page 36 Meta Page 37	Serafil WRe Onyx WRe Serabraid WRe AMANN PRODUCTS Saba Universal Sabasoft Sabaflex Sabatex soft Sabatex	Page 21 Page 22 Page 23 Page 26 Page 27 Page 28 Page 29 Page 30 Page 31	Multicolour Neon SPECIAL FINISHINGS Water-repellent Waxed (T90) For Composites (Comphil)	Page 61 Page 61 Page 61
MercifilGD Page 36 Meta Page 37	Serafil WRe Onyx WRe Serabraid WRe AMANN PRODUCTS Saba Universal Sabasoft Sabaflex Sabatex Sabatex Serafil fine Rasant	Page 21 Page 22 Page 23 Page 26 Page 27 Page 28 Page 29 Page 30 Page 31 Page 32 Page 33	Multicolour Neon SPECIAL FINISHINGS Water-repellent Waxed (T90) For Composites (Comphil)	Page 61 Page 61 Page 61
Meta Page 37	Serafil WRe Onyx WRe Serabraid WRe AMANN PRODUCTS Saba Universal Sabasoft Sabaflex Sabatex Sabatex Serafil fine Rasant RasantGD	Page 21 Page 22 Page 23 Page 26 Page 27 Page 28 Page 29 Page 30 Page 31 Page 32 Page 33 Page 33	Multicolour Neon SPECIAL FINISHINGS Water-repellent Waxed (T90) For Composites (Comphil)	Page 61 Page 61 Page 61
·	Serafil WRe Onyx WRe Serabraid WRe AMANN PRODUCTS Saba Universal Sabasoft Sabaflex Sabatex Sabatex Serafil fine Rasant RasantGD Mercifil	Page 21 Page 22 Page 23 Page 26 Page 27 Page 28 Page 29 Page 30 Page 31 Page 32 Page 33 Page 33	Multicolour Neon SPECIAL FINISHINGS Water-repellent Waxed (T90) For Composites (Comphil)	Page 61 Page 61 Page 61
C. (i	Serafil WRe Onyx WRe Serabraid WRe AMANN PRODUCTS Saba Universal Sabasoft Sabaflex Sabatex Sabatex Serafil fine Rasant RasantGD Mercifil	Page 21 Page 22 Page 23 Page 26 Page 27 Page 28 Page 29 Page 30 Page 31 Page 32 Page 32 Page 33 Page 34 Page 35	Multicolour Neon SPECIAL FINISHINGS Water-repellent Waxed (T90) For Composites (Comphil)	Page 61 Page 61 Page 61
Strongtix Page 38	Serafil WRe Onyx WRe Serabraid WRe AMANN PRODUCTS Saba Universal Sabasoft Sabaflex Sabatex Serafil fine Rasant RasantGD Mercifil MercifilGD	Page 21 Page 22 Page 23 Page 26 Page 27 Page 28 Page 29 Page 30 Page 31 Page 32 Page 33 Page 34 Page 35 Page 36	Multicolour Neon SPECIAL FINISHINGS Water-repellent Waxed (T90) For Composites (Comphil)	Page 61 Page 61 Page 61
Serafil Page 39	Serafil WRe Onyx WRe Serabraid WRe AMANN PRODUCTS Saba Universal Sabasoft Sabaflex Sabatex Serafil fine Rasant RasantGD Mercifil MercifilGD	Page 21 Page 22 Page 23 Page 26 Page 27 Page 28 Page 29 Page 30 Page 31 Page 32 Page 33 Page 34 Page 35 Page 36	Multicolour Neon SPECIAL FINISHINGS Water-repellent Waxed (T90) For Composites (Comphil)	Page 61 Page 61 Page 61
Synton Page 40	Serafil WRe Onyx WRe Serabraid WRe AMANN PRODUCTS Saba Universal Sabasoft Sabaflex Sabatex Serafil fine Rasant RasantGD Mercifil MercifilGD Meta Strongfix	Page 21 Page 22 Page 23 Page 26 Page 27 Page 28 Page 29 Page 30 Page 31 Page 32 Page 33 Page 33 Page 34 Page 35 Page 36 Page 37 Page 38	Multicolour Neon SPECIAL FINISHINGS Water-repellent Waxed (T90) For Composites (Comphil)	Page 61 Page 61 Page 61
Symon rage 40	Serafil WRe Onyx WRe Serabraid WRe AMANN PRODUCTS Saba Universal Sabasoft Sabaflex Sabatex Serafil fine Rasant RasantGD Mercifil MercifilGD Meta Strongfix	Page 21 Page 22 Page 23 Page 26 Page 27 Page 28 Page 29 Page 30 Page 31 Page 32 Page 33 Page 33 Page 34 Page 35 Page 36 Page 37 Page 38	Multicolour Neon SPECIAL FINISHINGS Water-repellent Waxed (T90) For Composites (Comphil)	Page 61 Page 61 Page 61



THE COMPANY

Since 1854, AMANN has been one of the leading global producers in the field of high-quality sewing and embroidery threads. Its technical expertise, reliability and flexibility in production and service makes AMANN a strong partner worldwide. In close cooperation with its customers, AMANN develops sewing and embroidery threads, as well as smart yarns for tomorrow's market requirements.


More than 2,600 motivated employees in more than 100 countries worldwide make AMANN's success possible. AMANN Group exclusively produces at its own production sites. The company headquarters are located in Bönnigheim, Germany.

THE AMANN CODE

Success has a secret. Intelligent products, individual solutions and innovative concepts: the amann code. AMANN produces threads meeting the highest standards, and develops ideas for creating seams that make your products even safer, more efficient, comfortable and beautiful. Developing new ideas is a tradition at AMANN.

We utilise the know-how from various industries and combine knowledge and expertise for the development of intelligent, modern products. Our customers' wishes and demands serve as our standards. Individual solutions are our strength – in product and colour management, and in service and logistics.

State-of-the-art technology is a prerequisite for innovative products. Through constant communication with our customers, partners and vendors, we develop sewing and embroidery threads as well as functional yarns and technical threads – always one step ahead, always at the highest technical level.





COMMITMENT TO THE PRECEPTS OF THE UN GLOBAL COMPACT

As a global company, AMANN has made the conscious decision to enter into the UN Global Compact. "The United Nations Global Compact is the world's biggest and most important initiative for responsible corporate management. Based on ten universal principles and the Sustainable Development Goals, it pursues the vision of an inclusive and sustainable global economy to the benefit of all people, communities and markets, today and in the future." It is AMANN's ambition not only to be a pioneer in terms of high-quality, sophisticated products, but also in activities in the spirit of sustainability.

Learn more about our sustainable achievements and targets in our annually published Sustainability Report.

In 2020, we have been awarded by United Nations as one of the TOP 50 sustainability & climate leaders worldwide.

CERTIFICATION & SAFETY

At AMANN, customer expectations regarding performance, reliability and technical expertise, as well as the quality and environmental compatibility of the products are an obligation and a motivation at the same time. Continuous compliance with the high-quality standards at AMANN Group is ascertained by the certification for quality management according to DIN EN ISO 9001.

ENVIRONMENTAL MANAGEMENT

AMANN's resource-friendly approach and its strive to keep the environmental impact as low as possible is documented by the certification in accordance with the DIN EN ISO 14001 environmental management system.

QUALITY COMMITMENT

The fulfilment of the process-oriented quality commitment for a safe production environment is proven by the certification under the strict IATF 16949 standards.

PRODUCT CERTIFICATIONS

The compliance with REACH guarantees that AMANN's products are not harmful. Moreover, they are certified according to STANDARD 100 by OEKO-TEX®, and a large number of the products are even certified to the stricter criteria of appendix 6.

AMANN products Saba, Sabatex, Sabaflex, Isacord, Serafil, Serafil Recycled, Serafil fine Recycled, N-tech and N-tech CS have been examined concerning the industrial wash resistance according to DIN EN ISO 15797, and have received the PRO-Label certification according to DIN EN ISO 30023.

The products from our Lifecycle line are Cradle to Cradle Certified® Gold and the products from our Recycled line are available as Global Recycled Standard (GRS) certified.



SERVICE

From development to production and everyday customer support, quality, precision and a great deal of creativity and passion characterise AMANN's performance.

RELIABILITY

Based on its vast expertise in the production of sewing and embroidery threads, AMANN has been serving the global textile industry for decades. AMANN is a reliable partner for all industries and offers professional product solutions, from fashionable to technical applications.

INTERNATIONAL SALES TEAM

Direct points of contact all over the world facilitate a more personal communication and have comprehensive understanding for the procedures within the sewing and embroidery industry.

COLOUR COMPETENCE

Colour is a crucial topic within the textile industry. The AMANN colour competence center utilises state-of-the-art technologies and employs experienced experts. A huge colour range that is available worldwide covers the most diverse requirements of all industries: from fashion to shoes & leather, from automotive industry to technical applications.

LOGISTICS AND WAREHOUSING


As an internationally leading producer of high-quality sewing and embroidery threads, shipping and warehousing are a part of AMANN's daily business. Just-in-time-delivery, flexibility in meeting customer requirements and efficient logistics management – this is what AMANN stands for.

AMANN TECHNICAL ADVISORY SERVICES (TAS)

As strong and reliable as our yarns: Advice on sewing and embroidery technology is one of our core competencies, which we are continuously expanding with the aid of various test and analysis procedures. In our ultra-modern AMANN Technical Advisory Services (TAS), we put our products through their paces and analyse them down to the smallest fibre. This puts us in a position to keep our quality promise and enables us to constantly expand our specialist knowledge.

The team at our technology centre provides solid and reliable advice for all issues relating to applications and products. We are happy to pass on our knowledge to you in individual customer workshops, technical seminars or specialist lectures. Based on decades of experience and cutting-edge know-how, we support you in all questions concerning your business, whether you want to increase your productivity or precisely calculate your material requirements. You can also count on us for special topics – from the development of sewing technology to processing testing.

Our application-oriented consulting knows literally no limits: our experts are at your side worldwide. We are always up to the minute when it comes to the processing of new materials.




LIFECYCLE OR RECYCLED. AMANN'S SUSTAINABLE SEWING AND EMBROIDERY THREADS


AMANN develops its products in a targeted manner in order to make them not only more sustainable, but also more environmentally friendly through the use of selected recycled and natural materials. Our sustainable product range consists of two product lines: the Cradle to Cradle Certified® Gold Lifecycle line and the GRS-certified Recycled line. The finish of our sewing threads is also systematically optimised. For example, in the production of water-repellent sewing threads, we have replaced environmentally harmful perfluorocarbons (PFCs) with environmentally compatible alternatives. Our eco-friendly WRe finish is available for Serafil WRe, Onyx WRe and Saba WRe. As a globally operating company, we also focus on sustainable, fair and safe production processes worldwide.

LIFECYCLE LINE

Cradle to Cradle[®], stands for a consistent, continuous recycling management, where no waste is generated, as the Cradle to Cradle[®] products are either used as biological nutrients in biological cycles, or they are continuously kept in technical cycles as technical nutrients. With our Lifecycle line, we can offer Cradle to Cradle Certified[®] Gold sewing threads for both cycles: Lifecycle Cotton for the biological cycle and Lifecycle Polyamide for the technical cycle.









RECYCLED LINE

Our high-quality sewing and embroidery threads from the Recycled line are made from 100% recycled, transparent PET bottles and are available as Global Recycled Standard (GRS) certified. They have the same quality features as our excellent range products, for instance in terms of breaking strength, abrasion resistance and sewability.

LIFECYCL2 Cotton

COTTON SPUN, MERCERISED, 100% ORGANIC

- Cradle to Cradle Certified® Gold
- made from extra long-staple mercerised organic cotton
- specially developed for the biological cycle
- only dyed with compostable dyes
- optimal dyeing properties if using as a garment dyeing thread
- ideal choice for manufacturing sustainable products

Ticket no.	Tex no.	Needl Nm	e size No.	Make-up	No. of colours
18	105	120-130	19-21	2.500 m Co	on request
24	80	110-130	18-21	5.000 m Co	on request
30	60	100-120	16-19	5.000 m Co	on request
40	40	80-100	12-16	5.000 m Co	on request
50	35	<i>7</i> 5-80	11-12	5.000 m Co	on request
60	30	70-80	10-12	5.000 m Co	on request
				20.000 m Co	on request



Main application:



- ladieswear, menswear
- garment dyeing







LIFE**CYCL**Polyamide

POLYAMIDE 6 CONTINUOUS FILAMENT, 100% RECYCLED

- Cradle to Cradle Certified® Gold
- the first recycled polyamide sewing thread
- made from recycling of textile waste
- specially developed for technical cycles
- robust, abrasion-resistant, durable
- excellent strength and colour fastness properties
- the ideal choice for manufacturing sustainable products

Ticket no.	Tex no.	Needle Nm	e size No.	Make-up	No. of colours
40	70	110-130	18-21	1.200 m FS	on request
60	45	100-120	16-19	1.800 m FS	on request
				6.000 m FS	on request
120	24	70-80	10-12	4.000 m FS	on request

FS/KS =

Main application:



- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie

workwear









POLYESTER/POLYESTER CORE SPUN, 100% RECYCLED

- AMANN's sustainable thread made from 100% recycled PET bottles
- available as GRS certified
- pure sustainability combined with outstanding sewing performance
- ideal abrasion resistance and strength properties
- textile appearance
- the ideal choice for manufacturing sustainable products

Ticket no.	Tex no.	Needl Nm	e size No.	Make-up	No. of colours
30	105	110-130	18-21	3.000 m Co	535
35	80	100-120	16-19	5.000 m Co	75
50	60	90-110	14-18	2.500 m Co	535
80	40	90-100	14-16	5.000 m Co	535
100	30	80-90	12-14	5.000 m Co	535
120	24	70-80	10-12	5.000 m Co	535
150	21	80-90	12-14	5.000 m Co	535



Main application:



- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie
- workwear
- leatherwear
- denim











UNIVERSAL RECYCLED

POLYESTER STAPLE SPUN, 100% RECYCLED

- AMANN's economic thread made from 100% recycled PET bottles
- available as GRS certified
- pure sustainability combined with good sewing performance
- textile appearance
- the ideal choice for manufacturing sustainable products

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
DOM:	fine and	Nm	No.	S P S THE	
110	27	65-90	9-14	5,000 m Co	on request
120	27	70-90	10-14	5,000 m Co	on request



Main application:



• ladieswear, menswear

- underwear & lingerie
- leatherwear
- sportswear & outdoor
- workwear
- denim









POLYESTER CONTINUOUS FILA-MENT, TEXTURISED, 100% RECYCLED

- AMANN's sustainable bulk yarn made from 100% recycled PET bottles
- available as GRS certified
- pure sustainability combined with very good sewing performance
- soft, voluminous, skin-friendly
- for all serging and coverstitch seams
- for optimal edge covering
- the ideal choice for manufacturing sustainable products

Ticket no.	Tex no.	Need Nm	le size No.	Make-up	No. of colours
100	35		-	5.000 m Co 10.000 m FS	on request
120	18	80-90	12-14	10.000 m Co	535



Further applications:



Main application:



- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie
- workwear



POLYESTER CONTINUOUS FILAMENT, 100% RECYCLED

- AMANN's sustainable thread made from 100% recycled PET bottles
- available as GRS certified
- pure sustainability combined with outstanding sewing performance
- high seam strength
- shiny appearance
- the ideal choice for manufacturing sustainable products

Ticket no.	Tex no.	Needl Nm	e size No.	Make-up	No. of colours
10	270	180-220	24-26	300 m FS	148
				1.000 m FS	148
15	210	150-180	23-24	450 m FS	148
		P		1.500 m FS	on request
20	135	120-140	19-22	600 m FS	240
	A STATE OF THE STA		2.500 m FS	240	
30	90	100-130	16-21	900 m FS	240
				4.000 m FS	240
40	70	90-120	14-19	1.200 m FS	240
				5.000 m FS	240
60	45	80-100	12-16	1.800 m FS	240
1998		-		5.000 m FS	on request
80	30	70-90	10-14	2.400 m FS	240
11/11/20		71/8		10.000 m FS	on request

FS/KS =

Main application:



- shoes

- suitcases
- belts and small leather goods















POLYESTER CONTINUOUS FILAMENT

- for all fine materials: AMANN's sustainable thread made from 100% recycled PET bottles
- delicate, silk-like, adaptive, semi-transparent
- available as GRS certified
- for high-quality overedging not showing through
- for all felling and blindstitching work
- for embroidering monograms and fine details
- the ideal choice for manufacturing sustainable products
- ideal for processing down

Ticket no.	Tex no.	Needle Nm	e size No.	Make-up	No. of colours
150	21	65-70	9-10	5.000 m FS	100
180	16	65-70	9-10	5.000 m FS	100

FS/KS =

Main application:



- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie







sabawre

POLYESTER/POLYESTER CORE SPUN, WATER-REPELLENT, PFC-FREE

- WRe = water-repellent and ecofriendly
- free from harmful chemicals
- AMANN's allrounder
- for water-repellent closing and topstitch seams
- high-performing, outstanding sewing behaviour
- ideal abrasion resistance and strength properties
- textile appearance
- for water-repellent matt embroidery

Ticket no.	Tex no.	o. Needle size Nm No.		Make-up	No. of colours	
25	120	130-160	21-23	5.000 m Co	on request	
30	105	110-130	18-21	3.000 m Co	on request	
35	80	100-120	16-19	5.000 m Co	on request	
50	60	90-110	14-18	2.500 m Co 5.000 m Co	on request on request	
80	40	90-100	14-16	5.000 m Co	on request	
100	30	80-90	12-14	5.000 m Co	on request	
120	24	70-80	10-12	5.000 m Co	on request	
150	21	60-70	8-10	5.000 m Co	on request	



Colours can be darker with WRe finish.


Main application:




- ladieswear, menswear
- leatherwear
- sportswear & outdoor
- workwear
















Lifecycle Cotton Saba Recycled Universal Recycled Serafil Recycled Serafil fine Recycled 18 Saba WRe Serafil WRe 21 26 27 32 Saba Serafil fine Rasant Mercifil MercifilGD 39 Serafil 40 Synton 44 Isacord **Isamet** Isa Texlight 46 Sabatex Embroidery 47 Isa Isabob 48 N-tech, N-tech CS 54 A-tech, A-tech CS 57 Silver-tech

Synton 40 Strongbond 43

Detailed information on our automotive product range can be found in the AMANN Automotive brochure.







 Serafil recycled
 17

 Serafil WRe
 21

 Onyx WRe
 22

 Serabraid WRe
 23

 Sabaflex
 29

 Meta
 37

 Serafil
 39

 Synton
 40

 Serabraid
 41

 Onyx
 42

 Strongbond
 43

 Isacord
 44

 Isamet
 45

 Isa Texlight
 46

 Isa Isabob
 48

 Rasant Oxella
 49

 Outdoor Pro
 51



POLYESTER/POLYESTER CORE SPUN

- AMANN's all-rounder
- high-performing, outstanding sewing behaviour
- ideal abrasion resistance and strength properties
- great in tickets and colours
- textile appearance
- for closing and topstitch seams
- for matt embroidery

Ticket no.	Tex no.	Needle Nm	e size No.	Make-up	No. of colours
8	400	210-250	26-27	800 m Co	30
12	260	160-180	23-24	1.100 m Co	75
18	200	140-160	22-23	1.400 m Co	<i>7</i> 5
30	105	110-130	18-21	10x300 m XW	535
进进	电距		222	3.000 m Co	on request
35	80	100-120	16-19	5.000 m Co	<i>7</i> 5
50	60	90-110	14-18	10x500 m XW	535
				2.500 m Co	535
80	40	90-100	14-16	10x1.000 m XW	535
	中华	1318181		5.000 m Co	535
100	30	80-90	12-14	10x1.000 m XW	535
				5.000 m Co	535
120	24	70-80	10-12	10x1.000 m XW	535
	400		18784 1888	5.000 m Co	535
150	21	60-70	8-10	10x1.000 m XW	535
	333	G-13-13	3335	5.000 m Co	535

Find our new sustainable Saba Recycled on page 14 and our water-repellent, PFC-free Saba WRe on page 20!



Main application:



- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie
- workwear
- leatherwear
- denim









POLYESTER STAPLE SPUN

- the sewing thread for general sewing needs
- excellent sewing properties
- great in tickets and colours
- textile appearance
- for closing and topstitch seams
- for matt embroidery

Ticket no.	Tex no.	Needl Nm	e size No.	Make-up	No. of colours
10	270	160-200	23-25	1,000 m Co	535
20	150	140-160	22-23	2,000 m Co	535
24	120	130-160	21-23	2,000 m Co	535
25	105	130-160	21-23	2,000 m Co	535
30	80	110-150	18-23	2,500 m Co	535
50	60	100-130	16-21	3,000 m Co	535
60	60	100-130	16-21	3,000 m Co	535
75	40	90-120	14-19	5,000 m Co	535
110	27	65-90	9-14	5,000 m Co	535
120	27	70-90	10-14	5,000 m Co	535
150	21	65-90	9-14	5,000 m Co	535
180	18	60-80	8-12	5,000 m Co	535

Find our new sustainable Universal Recycled on page 15!



Main application:



- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie
- workwear
- leatherwear
- denim









sabaFLEX

PTT (POLYTRIMETHYLENE TEREPHTHALATE) CONTINUOUS FILAMENT

- stretch it. The multi-talent for all elastic materials
- provides a stretch reserve for all seams
- with Sabaflex, all seams become highly elastic
- highest elongation and best sewability
- made with 37% biopolymers from renewable resources

Ticket no.	Tex no.	Needle Nm	e size No.	Make-up	No. of colours
30	105	120-140	19-22	900 m FS	160
50	70	110-130	18-21	1.200 m FS	160
80	60	80-100	12-16	2.000 m FS	160
120	27	70-80	10-12	1.500 m FS	160



Main application:




- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie
- workwear









sabatex

POLYESTER CONTINUOUS FILAMENT, TEXTURISED

- the perfect bulk yarn
- soft, voluminous, skin-friendly
- for all serging and coverstitch seams
- for optimal edge covering
- Sabatex 60 is perfectly suited for chenille embroidery

Ticket no.	Tex no.	Needl Nm	e size No.	Make-up	No. of colours
60	58	100-120	16-19	6.000 m Co	on request
100	35	90-110	14-18	5.000 m Co 10.000 m FS	171 171
120	18	80-90	12-14	10.000 m Co 30.000 m Co	535 on request
250	11	<i>7</i> 0-80	10-12	5.000 m Co 10.000 m Co 30.000 m Co	171 171 on request

Find our new sustainable Sabatex Recycled on page 16!




Co = FS/KS =

Main application:



• ladieswear, menswear

- sportswear & outdoor
- underwear & lingerie
- workwear









Serafilfine

Serafil

POLYESTER CONTINUOUS FILAMENT

- the ideal sewing and embroidery thread for all fine materials
- delicate, silk-like, adaptive, semi-transparent
- for high-quality overedging not showing through
- for all felling and blindstitching work
- ideal for processing down
- for embroidering monograms and fine details

Ticket no.	Tex no.	Needle Nm	e size No.	Make-up	No. of colours
120	24	70-80	10-12	4.000 m FS 15.000 m FS	100 on request
150	21	65-70	9-10	5.000 m FS	on request
180	16	65-70	9-10	5.000 m FS 20.000 m FS	100 on request
300	10	60-65	8-9	5.000 m FS 20.000 m FS	100 on request
420	7	50-65	5-9	10.000 m FS	100

Find our new sustainable Serafil fine Recycled on page 18!

FS/KS =

Main application:



- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie





POLYESTER/COTTON CORE SPUN

- the traditional core spun thread
- robust in sewing
- approved in many applications
- for closing and topstitch seams
- for matt embroidery

Ticket no.	Tex no.	Needl Nm	e size No.	Make-up	No. of colours
35	80	110-130	18-21	3.000 m Co	52
50	60	100-110	16-18	10x1.000 m XW 5.000 m Co	52 52
<i>7</i> 5	40	90-100	14-16	10x1.000 m XW 5.000 m Co 10.000 m Co	140 140 on request
120	24	70-80	10-12	10x1.000 m XW 5.000 m Co 10.000 m Co	300 300 on request

The comprehensive range of Rasant is complemented by the hydrophobic finish "WR". Available on request.





Main application:



- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie
- denim
- workwear







Rusantop

POLYESTER/COTTON CORE SPUN

- core spun thread made from 40% polyester and 60% cotton
- optimised dyeing properties due to the high cotton part
- the ideal addition to MercifilGD, recommended to be used in combination
- increased seam strength and seam elongation due to the polyester part compared to 100% cotton threads
- robust in sewing

Ticket no.	Tex no.	Needl Nm	e size No.	Make-up	No. of colours
30	105	120-140	19-22	2.500 m Co	3
50	60	100-110	16-18	5.000 m Co	3
75	40	90-100	14-16	5.000 m Co	3
100	30	80-90	12-14	5.000 m Co	3



Explanation of colour no.:

LTO0 = Light with raw polyester core, recommended for light dyeing, depending on the type of treatment, it is also possible to use it all-purpose; DK01 = Medium with pre-dyed polyester core, recommended for medium dyeing; DK02 = Dark with pre-dyed polyester core, recommended for dark dyeing;

Please consider:
Only the cotton part is dyed during the dyeing process. The polyester core remains undyed.

Main application:



garment dyeing



COTTON SPUN, MERCERISED

- the classic cotton sewing thread
- made from long-staple mercerised cotton
- ideal sewing performance

Ticket no.	Tex no.	Needle Nm	e size No.	Make-up	No. of colours
18	105	120-130	19-21	2.500 m Co	on request
24	80	110-130	18-21	5.000 m Co	on request
30	60	100-120	16-19	5.000 m Co	on request
40	40	80-100	12-19	5.000 m Co	on request
50	35	75-80	11-12	5.000 m Co	on request
60	30	70-80	10-12	5.000 m Co	on request



Main application:




• ladieswear, menswear













POLYESTER/POLYAMIDE CONTINUOUS FILAMENT

- melting thread for the supplemental security of blindstitch hems on trousers and skirts
- suitable as additional thread or as looper thread in the overlock seam of the hem, in addition to the blindstitch

Ticket no.	Tex no.	Need Nm	le size No.	Make-up	No. of colours
30	110		SALE.	850 m FS	2

FS/KS =



Available colour no.: 2001 = white, 0348 = black-grey

Main application:



• ladieswear, menswear



POLYESTER CONTINUOUS FILAMENT

- the outstanding product for shoes and accessories
- for closing and decorative seams
- subtle sheen
- special finishing process
- high seam strength
- best sewing performance with perfect stitch formation
- suitable for coarse decorative embroidery

Ticket no.	Tex no.	Needle Nm	e size No.	Make-up	No. of colours
8	350	200-260	25-28	850 m FS	on request
10	270	180-220	24-26	300 m FS 1.000 m FS	148 148
15	210	150-180	23-24	450 m FS	148
20	135	120-140	19-22	600 m FS 2.500 m FS	240 240
30	90	100-130	16-21	900 m FS 4.000 m FS	240 240
40	70	90-120	14-19	1.200 m FS 5.000 m FS	240 240
60	45	80-110	12-18	1.800 m FS 5.000 m FS	240 on request
80	30	<i>7</i> 0-110	10-18	2.400 m FS 10.000 m FS	240 on request

Find our new sustainable Serafil Recycled on page 17 and our water-repellent, PFC-free Serafil WRe on page 21!







- shoes
- bags
- suitcases
- belts and small leather goods

Further applications:







Serafil











Serabraid

POLYESTER CONTINUOUS FILAMENT, BRAIDED

- the braided thread for individual decorative effects
- for closing and topstitch seams
- decorative, impressive, effective
- waxed version available for hand sewing

Ticket no.	Tex no.	Make-up	No. of colours
1400 T90	1200	300 m XW	30
1400 T60	1030	300 m SSP	30
1200 T90	890	500 m XW	48
1200 T60	750	500 m SSP	48
1000 T90	600	500 m XW	48
1000 T60	500	500 m SSP	48
800 T90	450	700 m XW	30
800 T60	380	700 m SSP	30

The comprehensive range of Serabraid is complemented by the waterrepellent and eco-friendly finish "WRe". Available on request.



T60 = standard T90 = waxed for hand sewing

Main application:




shoes


bags


suitcases
















PBT (POLYBUTYLENE TEREPH-THALATE)/PP (POLYPROPYLENE), CONTINUOUS FILAMENT

- the phosphorescent embroidery thread
- glows in the dark
- for special effects, for example on children's nightwear





POLYESTER/COTTON CORE SPUN, GLACÉ

- the perfect thread for chenille/moss and chainstitch embroidery
- excellent colour fastness
- suitable for industrial laundry, PRO-care certified
- huge variety of brilliant colours
- high running length guarantees high productivity
- the ideal alternative to fuzzy wool yarns

licket no.	lex no.	Needle size		Make-up	No. of colours
		Nm	No.		
60	58	90-110	16-19	6.000 m FS	on request


FS/KS =

*Polyamide/cotton core spun, glacé

Main application:



Chenille embroidery





















- functional sewing thread for mattress quilting
- optimal sewing properties

Ticket no.	Tex no.	Needle Nm	e size No.	Make-up	No. of colours
60	45	100-130	16-21	500 g FS 900 g FS	和 一
80	30	90-120	14-19	500 g FS 900 g FS	

FS/KS =

Main application:



- mattresses
- pillows and quilts

TEXTURAN



POLYESTER CONTINUOUS FILAMENT, TEXTURISED

- developed to be used in combination with Topfil
- the functional underthread for mattress production


Ticket no.	Tex no.	Needle Nm	size No.	Make-up	No. of colours
100	35	90-110	14-18	10.000 m FS 20.000 m FS	
120	18	80-90	12-14	20.000 m FS	1 /

FS/KS =

Main application:



- mattresses
- pillows and quilts





POLYESTER CONTINUOUS FILAMENT, BONDED

- high-performance bonded special sewing thread for outdoor applications
- extremely durable
- resistant to untwisting and therefore suited for multidirectional sewing
- outstanding UV resistance due to special dyestuffs
- weathering test according to ISO 4892-1 and ISO 4892-2

Ticket no.	Tex no.	Needle Nm	e size No.	Make-up	No. of colours
6	500	240-260	27-28	1.700 m FS	1
9	350	210-240	26-27	1.700 m FS	12
10	270	190-220	25-26	1.400 m FS	2
12	240	180-200	24-25	1.800 m FS	12
15	210	170-190	24-25	2.400 m FS	12
18	150	150-170	23-24	2.600 m FS	12
20	135	130-150	21-23	1.600 m FS 3.200 m FS	34 on request
25	105	120-140	19-22	3.000 m FS	12
30	90	110-130	18-21	2.300 m FS	34
40	70	90-120	14-19	4.600 m FS	17
60	45	80-100	12-16	5.000 m FS	17

FS/KS =

Main application:



outdoor textiles







N-tech N-tech CS

NOMEX® DUPONTM META-ARAMIDE, SCHAPPE SPUN (N-TECH)

NOMEX® DUPONTM META-ARAMIDE, CUT STAPLE SPUN (N-TECH CS)

- high-performance meta-aramide special sewing and embroidery thread
- for flame-retardant and heat-protective applications
- self-extinguishing and non-melting
- permanent temperature resistance up to approx. 200°C
- decomposition temperature at approx. 370°C
- burning behaviour tested according to DIN EN ISO 15025

N-tech

Ticket no.	Tex no.	Needle Nm	e size No.	Make-up	No. of colours
40	75	100-120	16-19	3.000 m Co	14
70	40	80-100	12-16	10x1.000 m XW 5.000 m Co	21

N-tech CS

Ticket no.	Tex no.	Needl	e size	Make-up	No. of colours
		Nm	No.		100
70	40	80-100	12-16	10x1.000 m XW 5.000 m Co	21
120	25	70-90	10-14	5.000 m Co	21



Main application:



- protective clothing
- filtration







NEWSTAR® YANTAI META-ARAMIDE SCHAPPE SPUN (A-TECH)

NEWSTAR® YANTAI META-ARAMIDE, CUT STAPLE SPUN (A-TECH CS)

- meta-aramide special sewing & embroidery thread for flame-retardant and heat-protective applications
- self-extinguishing and non-melting
- the powerful alternative to Nomex®
- permanent temperature resistance up to approx. 200°C
- decomposition temperature at approx. 370°C
- burning behaviour tested according to DIN EN ISO 15025

A-tech

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
70	40	80-100	12-16	1.000 m Co	21
				5.000 m Co	21

A-tech CS

Ticket no.	Tex no.	Needle Nm	e size No.	Make-up	No. of colours
40	<i>7</i> 5	100-120	16-19	3.000 m Co	2
70	40	80-100	12-16	5.000 m Co	7

Co =

Main application:



- protective clothing
- filtration









Nc-tech

NOMEX® DUPONT™ META-ARAMIDE CONTINUOUS FILAMENT

- meta-aramide special sewing thread for highest requirements in flame-retardant and heat-protective applications
- self-extinguishing, non-melting, robust and extremely durable
- permanent temperature resistance up to approx. 200°C
- decomposition temperature at approx. 370°C
- burning behaviour tested according to DIN EN ISO 15025

Ticket no. Tex no.	Tex no.	Needle	e size	Make-up	No. of colours
		Nm	No.		
20	140	120-140	19-22	1.000 m FS	7
34	95	120-130	19-21	1.500 m FS	7
40	70	110-130	18-21	2.000 m FS	7
60	45	100-120	16-19	3.000 m FS	7

FS/KS =

Main application:



protective clothing

KEVLAR® DUPONT™ PARA-ARAMIDE, SCHAPPE SPUN

- para-aramide special sewing thread for applications with high requirements on cut, flame and heat protection
- permanent temperature resistance up to approx. 170°C
- decomposition temperature at approx. 425°C
- burning behaviour tested according to DIN EN ISO 15025

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.	112	
35	80	120-140	19-22	3.000 m Co	
50	60	110-130	18-21	3.000 m Co	の一次
75	40	100-120	16-19	5.000 m Co	TR NOTE



Main application:



protective clothing

KEVLAR® DUPONT™ PARA-ARAMIDE CONTINUOUS FILAMENT, BONDED

- extremely high-performing para-aramide special sewing thread for technical textiles requiring cut and heat protection
- self-extinguishing and non-melting
- permanent temperature resistance up to approx. 170°C
- decomposition temperature at approx. 425°C
- burning behaviour tested according to DIN EN ISO 15025

Ticket no.	Tex no.	Needl Nm	e size No.	Make-up	No. of colours
22	135	130-150	21-23	ca. 500 g/ 3.000 m FS	



Main application:



- protective clothing
- filtration
- composites

Kc-tech

K-tech

Silver-tech

SILVER COATED POLYAMIDE/ POLYESTER HYBRID THREAD (SILVER-TECH)

- special sewing and embroidery thread with a silver coating
- for conductive seams and surfaces
- textile electrodes as sensors and actuators
- for seam positions that require antimicrobial characteristics
- no cell damaging effect in the Cytotoxicity Test according to DIN EN ISO 10993-5

Ticket no.	Tex no.	Needle Nm	size No.	Make-up	Electric resistance
30	96	120-130	19-21	500 m FS	< 85 Ω/m
50	62	90-100	14-16	1.500 m FS	< 150 Ω/m
120	28	75-90	11-14	2.500 m FS	< 530 Ω/m

FS/KS =


Main application:



smart textiles
 medtech









SPECIAL COLOURS

MULTICOLOURS

Multicolours create special colour accents. The following sewing and embroidery threads by AMANN are offered in multicolours: Saba, Serafil, Strongbond, Isacord.

NEON COLOURS

Whether they are used as a signal colour for hazardous situations or simply as an eyecatcher – neon colours attract attention and are an indispensable part of the fashion world. The following AMANN products are offered in neon colours: Saba, Sabasoft, Sabatex, Sabaflex, Serafil, Strongbond, Strongfil, Isacord, N-tech, N-tech CS.

SPECIAL FINISHINGS

WATER-REPELLENT

A water-repellent finish is a prerequisite for dry seams. All AMANN sewing threads with water-repellent finish are certified according to STANDARD 100 by OEKO-TEX® and do not contain any PFOA. The water-repellent finish is applicable to all AMANN sewing threads. AMANN's water-repellent finish is washable and does not affect the sewability in any negative way. AMANN's Road to Zero: The new WRe finish is even more eco-friendly, since it is completely free of PFC. Certainly, the new WRe finish is also washable and can be sewn easily.

The new WRe finish is available for the following AMANN products: Saba, Onyx, Serafil, Serabraid.

WAXED (T90)

Due to its special wax content, AMANN's T90 finish is especially suitable for handsewing, since the finish stabilises the stitch during stitch formation. T90 finish is available for the following products: Serabraid, Serafil.

FOR COMPOSITES (COMPHIL)

The Comphil finish, specially developed by AMANN for composites, offers optimised sewing performance without adhesion-inhibiting properties towards the composite matrix and is thus optimally synchronised with the further processes (for example resin infusion) and end use applications. On both sewing and embroidery threads, the Comphil finish is used for preform production processes (for example TFP embroidery method). As a standard, the Comphil finish is available for following products: Serafil, Serafil fine, Onyx. On request, also further products from the AMANN range can be equipped with the Comphil finish.

BONDED

This special treatment helps to avoid untwisting of smooth filament threads that are used for multidirectional sewing operations, for example on airbags or zig-zag seams on sails. AMANN offers the following bonded sewing threads: Oxcel, Outdoor-Pro, Serabond, Strongbond, Kc-tech, Xtreme-tech.





Follow AMANN on WeChat:



AMANN Trading (Shanghai) Co., Ltd. RM1702-1703 HaiLiang Building No.22 Lane118 Rd.Zhongjiang Putuo District 200062 Shanghai, China

Phone: +86 21 58316126/27/29

Headquarters:

Amann & Söhne GmbH & Co. KG |

Bönnigheim | Germany

Email: info.sh@amann.com | www.amann.com www.amannasia.com | www.amann.cn